









POWER SUPPLY
120V MONO+GND 3 WIRES 12GA

CONTROL CABLES:
-CONTROL CONSOLE
UNIT COMES WITH 82 FEET (25m) OF CABLE

-CARD READER (NOT SUPPLIED)

THE CONTROL CABLES AND THE POWER
SUPPLY CABLE SHOULD RUN IN SEPARATE
CONDUITS.

THE CONDUITS SHOULD ENTER THE
CLEARLOCK FROM THE TOP IN THE HATCHED
ZONE.




 DIRECTION (A)
 ENTRANCE
 SECTION A-A

D	2019/11/14	CORRECTION TEXT	OBE
C	2018/08/01	CORRECTION TEXT	OHL
REV	DATE	MODIFICATIONS/CHANGES	PAR/BY
REVISIONS			

MATÉRIAU/MATERIAL		
TRAITEMENT/TREATMENT		
FINI/FINISH		
NB./App.	POIDS/WEIGHT	SURFACE

LES DIMENSIONS SONT EN POUCHES / DIMENSIONS ARE IN INCHES	
TOLERANCES	
.XXX	± .005
.XX	± .010
.X	± .015
FRAC.	± 1/32
ANGLES	± 1/2°
SAUF SI INDUQUÉS UNLESS OTHERWISE NOTED	

EBARBER & ENLEVER
LES ARÊTES VIVES.
DIM SELON ASME Y14.5
1994, NE PAS MESURER
SUR LE DESSIN

BREAK ALL SHARP
EDGES AND CORNERS.
ALL DIM PER ASME
Y14.5 1994, DO NOT
SCALE DRAWING




FICHIER / FILENAME	NAM-CL656-IN-03-EN.DWG
--------------------	------------------------

LES INFORMATIONS CONTENUES SUR LES DESSINS DE ASA Inc.
SONT CONFIDENTIELLES ET SONT LA PROPRIÉTÉ DE ASA Inc.,
TOUTES REPRODUCTIONS, DISTRIBUTIONS OU UTILISATIONS
SONT INTERDITES SANS LA PERMISSION DE ASA Inc.

INFORMATION DISCLOSED HERE IS CONFIDENTIAL AND IS THE PROPERTY OF ASA Inc., ANY REPRODUCTION, DISTRIBUTION OR USE IS PROHIBITED WITHOUT A WRITTEN CONSENT BY ASA Inc.

TITRE	IMPLEMENTATION	LAYOUT
TITLE	CLEARLOCK	656



ÉCHELLE/SCALE
N/A

FORMAT/SIZE	D
-------------	---

DATE	2016/04/14
------	------------

FEUILLE/SHEET
1

DE/OF
1

DESSINÉ PAR
DRAWN BY OHL

VÉRIFIÉ PAR
CHECKED BY SSA

NO. DE DESSIN/DWG. NO.
NAM-CL656-IN-03-EN

REV
D

AUTOMATIC SYSTEMS AMERICA INC. MAKES NO REPRESENTATIONS AS TO THE PROPER POSITIONING OF THE CLEARLOCK AT THE INSTALLATION LOCATION. ESTABLISHING THE PLACEMENT AND LAYOUT OF THE DEVICES AND DETERMINING COMPLIANCE WITH THE APPLICABLE BUILDING CODES, OTHER CODES, LAWS AND REGULATIONS IS THE SOLE RESPONSIBILITY OF THE PURCHASER. INSTALLATION MUST BE PERFORMED BY A QUALIFIED INSTALLER FOLLOWING MANUFACTURER'S INSTRUCTIONS OTHERWISE AUTOMATIC SYSTEMS AMERICA INC.'S WARRANTIES MAY BE VOID.